

POOL EQUIPMENT FOR COMPETITION



SPECTRUM
AQUATICS[®]
A PLAYCORE Company

BACKSTROKE FLAGS & POSTS

BACKSTROKE FLAGS



COMPETITOR BACKSTROKE FLAGS

- Oxford nylon material
- Variety of colors available
- Custom logos available
- Meets all World Aquatics, NCAA, USA, and NFHS regulations
- Available in two sizes: 11" x 14.5" or 12" x 18"
- Easy mounting options



KIEFER BACKSTROKE FLAGS

- Nylon or vinyl material
- Variety of colors available
- Custom logos available
- Meets all World Aquatics, NCAA, USA, and NFHS regulations
- No hardware or assembly required



BACKSTROKE FLAGS & POSTS



BACKSTROKE/RECALL POSTS

Designed to support backstroke lines, finish lines, recall lines, volleyball nets and splash curtains. Flags not included.

- 2" top ring for connection to backstroke flags or recall ropes
- Optional sliding collar available
- Anchors not included
- Round or square posts available in heights of 4'6" or 8'

4' 6" STANCHIONS

RECALL STANCHION - 1.90 X .145 304L (P/N 23624)
STANCHION - 1.90 X .145 316L (P/N 134034-54-.145)
1.90" O.D. SLIDING RING (P/N 23625)

8' STANCHIONS

BACKSTROKE STANCHION - 1.90 X .145 304L (P/N 23614)
STANCHION - 1.90 X .145 316L (P/N 134034-96-.145)
STANCHION - SQUARE 304L - 2.5" X .180" WALL (P/N 2010525)
STANCHION - SQUARE 316L - 2.5" X .180" WALL (P/N 2010979)
1.90" O.D. SLIDING RING (P/N 23625)
2.50" SQUARE SLIDING COLLAR (P/N 2010527)

TAGLINE STANCHION POSTS TO SPAN 50M+

STANCHION - TAGLINE - 1.90 X .145 304L (P/N 2010526) INCLUDES PULLEY
STANCHION - TAGLINE - 1.90 X .145 316L (P/N 2010607) INCLUDES PULLEY & WINCH PLATE



TOT DOCK TRAINING PLATFORM

This training platform is an excellent teaching aid which helps beginning swimmers feel at ease and secure during lessons by decreasing water depth and offering grab rails.

- Freestanding and easily placed into the shallow area of the pool
- 300 lb weight limit
- Adjustable, weighted legs
- Stainless steel frame
- 42" x 60" non-slip platform made of UV stabilized structural fiberglass
- Multiple units can be configured together
- Includes protective rubber bumpers

82300 - TOT DOCK

TO ORDER THE SPECTRUM AQUATICS® PRODUCTS IN THIS CATALOG, PLEASE CONTACT YOUR LOCAL REPRESENTATIVE AT THE PHONE NUMBER BELOW OR VISIT OUR WEBSITE AT: WWW.SPECTRUMPRODUCTS.COM

DIVE STANDS

CHEYENNE DIVE STANDS



CHEYENNE DIVE STANDS

The Cheyenne meets all competitive diving regulations and is designed for use with in-ground swimming pools. Fabricated from 304L stainless steel with an exclusive passivation process to ensure maximum corrosion resistance. Ladders are included. Custom fabrication is available for any application. * 3M Photo shown with optional stair case.

- Conforms to NSPI standards for diving portions of Class B and C swimming pools
- Rear or side access available; customize with staircase
- Accepts all manufactured diving boards in lengths of 10' to 16'
- 26" sloping treads with integral non-slip surface and UV inhibitors
- All main support columns are flanged for ease of installation
- Foot adjustable fulcrum and hinged diving board assembly included

22121 - 1M CHEYENNE DIVE STAND (REAR ACCESS)

22123 - 1M CHEYENNE DIVE STAND (SIDE ACCESS)

22140 - ANCHOR KIT (REAR ACCESS)


22160 - ANCHOR KIT (SIDE ACCESS)

22131 - 3M CHEYENNE DIVE STAND (REAR ACCESS)

22133 - 3M CHEYENNE DIVE STAND (SIDE ACCESS)

22150 - ANCHOR KIT (REAR ACCESS)

22170 - ANCHOR KIT (SIDE ACCESS)



DIVE STANDS



DURAFIRM 1M STAND

This 1M Durafirm stand is supplied with top and intermediate handrails on both sides.

- 22030 - DURAFIRM 1M STAND (RAILS BOTH SIDES)**
- 22020 - DURAFIRM 1M ANCHOR SET (SET OF 8)**



DURAFIRM 3M STAND

The 3M diving stand consists of heavy aluminum castings with roller and tracks that are anodized, heat-treated, extruded aluminum.

- 22010 - DURAFIRM 3M DURAFIRM STAND (RAILS BOTH SIDES)**
- 22020 - DURAFIRM 3M ANCHOR (SET OF 8)**



DURAFIRM SHORT STAND

Designed for use on concrete pedestals or platforms.

- 22060 - DURAFIRM SHORT STAND (RAILS BOTH SIDES)**
- 22090 - DURAFIRM SHORT STAND (NO RAILS)**
- 22100 - DECK ANCHORS (SET OF 6)**

1/2, 3/4, 1M SHORT STAND - FIXED FULCRUM

- 47061 - 1/2, 3/4, 1M SHORT DIVE STAND (REAR ACCESS)**
- 47061 - 1/2, 3/4, 1M SHORT DIVE STAND (SIDE ACCESS)**
- 19177 - SHALLOW ANCHOR FOR DIVE STAND**

DIVING BOARDS



RECREATIONAL ALUMINUM DIVING BOARDS

Proven I-beam extrusions are epoxy glued with welded end construction. The non-slip surface resists wear. Each board comes with mounting hardware. Choose from marine blue, tile blue or radiant white finish.

22400 - 10' ALUMINUM BOARD

22410 - 12' ALUMINUM BOARD

22420 - 14' ALUMINUM BOARD


22430 - 16' ALUMINUM BOARD



COMMERCIAL FIBERGLASS DIVING BOARDS

This heavy-duty, commercial diving board features a solid horizontally laminated wood core completely encased in fiberglass. Each board has a slip-resistant top tread and is tapered for superior performance. Stainless steel hardware kit included. Contact us for current product offering.

DURAFLEX® DIVING BOARDS



High-quality springboard diving equipment is the standard in the diving industry. Duraflex® boards are made of single piece ribbed extruded aluminum alloy with a top surface coated in aqua-colored, thermal-curing epoxy resin. The board is finished with a laminate of flint silica and alumina, between coats of epoxy to provide a slip-resistant surface.

- Heat treated for superior yield strength of 50,000 psi
- Slip-resistant surface

DURAFLEX® ALUMINUM BOARD

This board is ideal for recreational diving in commercial pools.

22210 - 14' DURAFLEX®

22220 - 16' DURAFLEX®



MAXIFLEX "B" BOARDS

This board is seen in most major competitive diving events in the world. The Maxi-B is slightly lighter in weight and is said to give a quicker action in the hurdle step. The double-tapered design allows the whole board to arc while flexing, giving it approximately 15% more lift than the standard Duraflex®.

- Used in most major diving competitions in the world
- Lighter weight
- Provides quicker action in hurdle step
- Double-taper design offers superior lift

22240 - 16' MAXIFLEX B

**PLEASE NOTE: All pools must meet minimum standards for installation.*



RACING LANE LINES

Designed to deflect wave motions downward through hydrodynamic propulsion for wake-free competitive swimming. Durable, injection-molded polyethylene discs with built-in UV and chemical resistors. Ships assembled and complete with an "S" hook on one end and a Supertensioner on the other. All hardware is made of stainless steel and plastic. Water polo boundary and goal tethers available.



ANTIWAVE® FORERUNNER LANE LINE

STANDARD COLORS

SPECIALTY COLORS

CUSTOM COLORS



ANTIWAVE®

4.75" FORERUNNER LANE LINES:

55810 - 60 FT LINE	55820 - 25M LINE	55825 - 50M LINE	55830 - 50M LINE WITH 1 DISCONNECT	55835 - 50M LINE WITH 2 DISCONNECTS	55840 - CUSTOM LENGTH BY FOOT
55815 - 75 FT LINE	55825 - 50M LINE	55830 - 50M LINE WITH 1 DISCONNECT	55835 - 50M LINE WITH 2 DISCONNECTS	55840 - CUSTOM LENGTH BY FOOT	55845 - SUPERTENSIONER BY FOOT

6" MAXIMUM LANE LINES:

58850 - 60 FT LINE	58860 - 25M LINE	58865 - 50M LINE	58870 - 50M LINE WITH 1 DISCONNECT	58875 - 50M LINE WITH 2 DISCONNECTS	58880 - CUSTOM LENGTH BY FOOT
58855 - 75 FT LINE	58865 - 50M LINE	58870 - 50M LINE WITH 1 DISCONNECT	58875 - 50M LINE WITH 2 DISCONNECTS	58880 - CUSTOM LENGTH BY FOOT	58885 - SUPERTENSIONER BY FOOT

Patented flow-through design controls water turbulence by allowing wave energy to be dispersed along the length of the lane. Consists of a series of polyethylene discs and donuts that rotate independently, allowing wave energy to be absorbed and dispersed within the channel of the lane, optimizing conditions for training and competition. Ships fully assembled.



COMPETITOR

4" COMPETITOR LANE LINES:

55020 - 60' LANE	55040 - 75' LANE	55060 - 25M LANE	55080 - 50M LANE	55100 - 25M DISC TO 1-75' LANE	55120 - 50M DISC TO 2-75' LANES	55140 - 50M DISC TO 1-75' LANE	55160 - 50M DISC TO 1-75' LANE AND 1-25M LANE	55170 - 4" CUSTOM LANE LINES (PER FOOT)	55180 - HARDWARE KIT FOR CUSTOM LINES
55220 - 60' LANE	55240 - 75' LANE	55260 - 25M LANE	55280 - 50M LANE	55300 - 50M TO 1-75' LANE	55320 - 50M TO 2-75' LANE	55360 - 50M DISC TO 1-75' LANE AND 1-25M	55290 - 6" CUSTOM LANE LINES (PER FOOT)		

6" GOLD MEDAL LANE LINES:

Vegas Gold 871C	Green 340C	Sky Blue 542C	Blue 3005U	Navy 648C
Purple Violet U	Gray 424C	White	Black Black C	Red 186C
Burgundy 7643C	Orange 021	Yellow 108C	Maroon 7622C	



173419 - EXTENSION HOOK
*Variety of lengths available

LANE LINE STORAGE

SHERIDAN LANE LINE STORAGE REEL




Unique stainless steel construction with locking casters.

- 304L stainless steel construction
- Passivated for maximum corrosion resistance
- Capacity: 720' of 4" line or 400' of 6" line
- 4" caster wheels with locking brakes
- 6' 5" 7/8" (L) x 5' 5/64" (W) x 5' 6 11/16" (H)

55525 - SHERIDAN STORAGE REEL

55552 - SHERIDAN REEL COVER


COMPETITOR LANE LINE STORAGE REELS



ELITE STOR-LANE REEL


High capacity lane line reel.

- Powder-coated aluminum frame and end-wheels
- 6-inch stainless steel casters with individual brakes
- Capacity: 902' for 4" lanes and 492' for 6" lanes
- 83" x 60" x 71"
- Cover available



CLASSIC PLUS STOR-LANE REEL

- Powder-coated aluminum frame and end-wheels
- 5-inch stainless steel casters with individual brakes
- Capacity: 525' for 4" lanes and 300' for 6" lanes
- 70" x 46" x 58
- Cover available



CLASSIC STOR-LANE REEL

- Powder-coated aluminum frame and molded end-wheels
- 5-inch polymer and rubber wheels with individual brakes
- Capacity: 525' for 4" lanes and 300' for 6" lanes
- 70" x 46" x 58
- Cover available

LANE LINE STORAGE

ANTIWAVE® LANE LINE STORAGE REELS



ULTIMATE STORAGE REEL

- Powder-coated white aluminum frame
- All four wheels independently lock and rotate
- Forerunner 4.75" lane capacity: (9) 60' lanes, or (8) 75' lanes, or (7) 25M lanes, or (3) 50M lanes - total of 492 linear feet up to 540 linear feet
- 6" lane capacity: (6) 60' lanes, or (5) 75' lanes, or (4) 25M lanes, or (2) 50M lanes - total of 328 linear feet up to 360 linear feet
- 72" x 90" x 48"
- Cover available



SWIM LANE CADDY

- Provides safe and quick removal and installation
- Hooks over the pool edge to enable easy removal of lanes
- Fiberglass construction
- Capacity of one AntiWave® lane at a time

LANE LINE TRAPS



IN-DECK STORAGE

The in-deck Lane Line Traps clear deck space by providing lane line storage below deck.

- Easy to use
- Fixed rollers allow the lane line to slide in easy
- Nylon basket below deck catches and stores the lane line
- Nylon basket is collapsible and can be compressed up and out of the way
- Measures 36" x 45" when fully extended and hangs 14" below deck

1810494 - LANE LINE TRAP - HATCH

1910445 - LANE LINE TRAP - RING & BASKET ASSEMBLY





STRENGTH. EXPERIENCE. FORM.

What makes the best athletes also makes the best starting platforms.

Launching Innovation Since 1972

Spectrum Aquatics® offers both single and dual post starting platforms, which include incredible non-slip tops and steps. Our stainless steel block tops are coated with a grit overlay providing a level of traction not available in competing products.

Our plastic tops are made of low density polyethylene and contain a non-slip surface that surpasses industry standards. Plastic tops are a great choice for facilities that remove and store the platforms frequently - durable and able to withstand harsh pool environments - resisting discoloration, fading and cracking.

- Unlimited color and logo options available on XCELLERATOR®, Record Breaker and Fusion Starting Platforms
- All starting platforms can be customized to fit virtually any existing anchor
- Powder Coating available in any color and a variety of finishes
- Electropolished and SPECTRA-SHIELD® coated stainless steel provides high-quality finish that resists corrosion
- Easy to install and remove
- 18" wide competition-width H Style backstroke bar or 18" U-bar on dual post models
- Front hand and toe grips for faster takeoffs
- Easy-to-read lane numbers visible from all four sides
- Anchors and covers sold separately
- Our starting platforms comply with World Aquatics, USA Swimming, NCAA and NFHS regulations (excluding the Quicksilver)

STARTING PLATFORM CUSTOMIZATION



ANCHORS AND BASES

To best suit your needs, we offer a wide variety of custom anchors and bases to fit into any existing anchors or unique pool gutter configurations.



POWDER COATING AND CUSTOM LOGOS

Custom powder coating is available for all Spectrum starting platforms. Custom logos available for XCELLERATOR®, Record Breaker, and Fusion Starting Platforms.



SINGLE POST STARTING PLATFORMS

XCELLERATOR®



XCELLERATOR® - SINGLE POST



XCELLERATOR® - SINGLE SQUARE POST

Applying the latest in approved technology, this starting platform gives swimmers an extra boost on starts by allowing the rear leg to start at a 90° angle and the swimmer's center of gravity to more forward when using the side rails.

- Large 24" x 32" stainless steel top sloped at a 10° angle for optimal starting stances
- Extra large 8" x 16" step for easy mount
- Easy-to-adjust track start footrest with 11 location setting options to accommodate all heights and levels of flexibility
- Uses single post anchor with patented anti-wobble design allowing for easy removal
- Side handles included to enhance speed and faster takeoffs
- Backstroke handles with versatile 18" H-bar
- Suggested setback of 30" – accommodates anchor setbacks of 18" to 36"
- Standard surface color is black or white, with custom colors, powder coat, and logo options available (logos can be placed on platform top, wedge and/or step)

57282 - XCELLERATOR® SINGLE POST

FUSION

- Built-in Colorado Time Systems® Relay Judging Platform (RJP) to calculate reaction time and relay exchanges
 - Speedlights across the front of the RJP and step-side flash simultaneously with starting system horn and strobe light
 - Lights provide an additional signal to athletes who are deaf or hard of hearing
 - Easy, out-of-the-way plug-ins for RJP touchpad, speedlights, lane speaker and back-up buttons
- Uses single post anchor with patented anti-wobble, design allowing for easy removal
- 24" x 32" non-slip surface platform top for extra-fast starts
- Includes practice top so the RJP can be stored away from the pool when not in use
- Side handles to enhance speed and faster takeoffs
- Backstroke handles with versatile 18" H-bar
- Suggested setback of 30" – accommodates anchor setbacks of 18" to 36"
- Available in gray, with custom colors and logo options available



FUSION - SINGLE POST

57291 - FUSION SINGLE POST

SINGLE POST STARTING PLATFORMS

RECORD BREAKER



RECORD BREAKER - SINGLE POST



RECORD BREAKER - SINGLE SQUARE POST

- Large 24" x 32" stainless steel top sloped at a 10° angle for optimal starting stances
- Extra large 8" x 16" step for easy mount
- Easily upgradeable to XCELLERATOR® with addition of side handles & track start footrest
- Uses single post anchor with patented anti-wobble design allowing for easy removal
- Non-slip access step, available on side or rear
- Large side step accommodates anchor setbacks of 18" to 36"
- Rear step accommodates anchor setbacks of 30" to 36"
- Backstroke handles with versatile 18" H-bar
- Standard surface color is black or white, with custom colors, powder coat, and logo options available

57283 - RECORD BREAKER - SINGLE POST

GROWLER



The Growler is great for all levels of competition and features the largest top in the industry.

- Large 25" x 32" single piece LDPE platform with molded-in, non-slip surface; no exposed bolts or hardware
- Front hand and toe grip for faster takeoffs
- 8" x 10" access step with molded-in, non-slip surface. Available on side or rear
- Accommodates anchor setbacks of 18" to 36"
- Side step accommodates anchor setbacks of 18" to 36"
- Rear step accommodates anchor setbacks of 30" to 36"
- Backstroke handles with versatile 18" H-bar

21653 - GROWLER - SIDE STEP

21657 - GROWLER - REAR STEP

SINGLE POST STARTING PLATFORMS

GRIZZLY

Another one of Spectrum's popular starting platforms. Great for all levels of competition.

- 23" x 25" single piece LDPE platform with molded-in, non-slip surface; no exposed bolts or hardware
- Front hand and toe grip for faster takeoffs
- 8" x 10" LDPE side or rear access step with molded-in, non-slip surface
- Accommodates anchor setbacks of 18" to 30"
- Side step accommodates anchor setbacks of 18" to 30"
- Rear step accommodates anchor setbacks of 24" to 30"
- Backstroke handles with versatile 18" H-bar

21654 - GRIZZLY - SIDE STEP

21655 - GRIZZLY - REAR STEP



QUICKSILVER

Ideal for beginners and pools with large water drafts.

- 23" x 25" LDPE platform with molded-in, non-slip surface; no exposed bolts or hardware
- Front hand and toe grip for faster takeoffs
- Horizontal backstroke bar
- Stainless steel construction
- Suggested setback of 20" – accommodates setbacks of 12" to 24"
- Does NOT meet World Aquatics, USA Swimming, NCAA or NFHS regulations

57289 - QUICKSILVER SINGLE POST



Available in five colors:



LDPE Standard Top Colors

TO ORDER THE SPECTRUM AQUATICS® PRODUCTS IN THIS CATALOG, PLEASE CONTACT YOUR LOCAL REPRESENTATIVE AT THE PHONE NUMBER BELOW OR VISIT OUR WEBSITE AT: WWW.SPECTRUMPRODUCTS.COM



HOW IT WORKS



DUAL EXPANSION POST STARTING PLATFORMS

Saline High School

Saline, Michigan


Eliminates Dual Post Anchor "Wobble"

Easy to Install into EXISTING or NEW DUAL POST ANCHORS (also available in square single post).


Platform Legs Expand into anchors - no need to rely on the longevity of small anchor wedge parts to tighten around the block legs.



Ask about our dual post expansion anchor plugs



DUAL POST STARTING PLATFORMS



BIGHORN

- 23" x 25" non-slip surface with no exposed bolts or hardware
- 20" molded-in, non-slip surface step tread
- Standard Bighorn accommodates anchor setbacks of 20" to 30"
- Long Reach model accommodates an anchor setback up to 40"
- Backstroke handle with versatile 18" U-bar

21095 - BIGHORN

21115 - LONG REACH BIGHORN



COUGAR

- 25" x 32" non-slip surface with no exposed bolts or hardware
- 8" x 10" access step with molded-in, non-slip surface available in side or rear
- Side step accommodates anchor setbacks of 18" to 40"
- Rear step accommodates anchor setbacks of 30" to 40"
- Backstroke handle with versatile 18" U-bar

21135 - COUGAR - SIDE STEP

21145 - COUGAR - REAR STEP



XCELLERATOR®

- Large 24" x 32" stainless steel non-slip top sloped at a 10° angle for optimal starting stances
- Extra large 8" x 16" step for easy mount
- Adjustable track start footrest attachment with 11 locations setting options
- Side handles and 18" backstroke U-Bar included to enhance speed and quick takeoffs
- Non-slip side access step available
- Suggested setback of 30" – accommodates anchor setbacks of 18" to 36"
- Comes standard black or white top, custom colors and logo options available

133171 - XCELLERATOR® DUAL POST



RECORD BREAKER

- Large 24" x 32" stainless steel non-slip top sloped at a 10° angle for optimal starting stances
- Extra large 8" x 16" step for easy mount
- Easily upgradeable to XCELLERATOR® with addition of side handles & track start footrest
- Non-slip access step, available on side or rear
- Side step accommodates anchor setbacks of 18" to 36"
- Rear step accommodates anchor setbacks of 30" to 36"
- Backstroke handles with versatile 18" U-bar
- Comes standard black or white top, custom colors and logo options available

57741 - RECORD BREAKER DUAL POST

STARTING PLATFORM ANCHORS

SINGLE POST ANCHOR

This unique, patented anti-wobble and locator pin design is superior to all other single-set type anchors. There is no equal.

- No tools required when inserting or removing starting platform
- Machined bronze anchor body ensures extremely tight tolerances & offers superior corrosion resistance
- Locating slot design eliminates rotation and guarantees proper alignment of platform
- Includes stainless steel lid and removal tool
- Optional anchor set tool available
- Bulkhead customization available



21705 - ANCHOR SET TOOL




21700 - SINGLE POST ANCHOR

42057 - BULKHEAD ANCHOR

DUAL POST ANCHOR

Designed for use with dual post starting platforms. Fabricated of 304L stainless steel. Welded fixture design allows for easy installation. Anchors are set exactly 20" center to center for ease of platform installation and removal. Anchors are provided with bonding lug, caps and removal key.


- 24070 - 6" DEEP DUAL POST ANCHOR SET
- 24071 - 10" DEEP DUAL POST ANCHOR SET



BACKSTROKE START DEVICES


Backstroke swimmers routinely risk a slip start when pushing off a pool wall or slippery touchpad. Our backstroke start devices are designed to reduce slipping, and are available in two different models: automatic retraction, and stationary.

AUTOMATIC RETRACTION 143081




- U.S. Patent No. 10,245,524
- Features a 65cm x 8cm (25.6" x 3.1") nonslip wedge with a 10° angle to secure foot placement along pool wall
- Easily adjustable and locks into place, allowing swimmers to select desired location of the nonslip wedge along the pool wall
- Automatically retracts up and out of the water so as not to interfere with flip turns and touchpad interactions, eliminating the need for manual removal
- Compatible with nearly all block types and pool configurations - it can be strapped around a starting platform for easy set up
- Custom attachment options are also available
- Our sales team can help determine the best mounting option for your pool

HOW IT WORKS:



STATIONARY BACKSTROKE START WEDGE

1710083



The Stationary Backstroke Start Wedge allows swimmers to perfect their backstroke takeoffs at their local pool.

- Features a 65cm x 8cm (25.6" x 3.1") nonslip wedge with a 10° angle to secure foot placement along pool wall
- Same non-slip wedge and straps as our top-of-the-line Backstroke Start Device
- Can easily attach to nearly any existing starting block frame
- Includes stainless steel hardware to resist corrosion
- World Aquatics, USA Swimming and NCAA compliant, when installed correctly

If you are a highly competitive swimming club or university looking for a way to perfect backstroke starts with a wedge for the upcoming championship meets, the Stationary Backstroke Start Wedge is a must!

STARTING PLATFORM MAINTENANCE AND UPGRADES

COVERS

Starting Platform covers protect your investment by preventing unauthorized use of the platforms and shielding the platform surface from the elements when they are not use.

153174 - STARTING PLATFORM HARD COVER - WHITE

- Sturdy precision vacuum formed ABS plastic
- Includes elastic retaining strap and optional cable lock
- Universal fit covers all platforms up to 25" x 32" in size, with and without wedges
- UV protection
- Durable textured surface
- Easy stack = Easy storage



26315 - STARTING PLATFORM SOFT COVER

- UV rated polyethylene material with draw cord
- Universal fit covers all platforms up to 25" x 32" in size

MAINTENANCE

Cleaning your starting platforms on a regular basis is an essential part of ensuring longevity and minimizing rust formation on your starting platforms. Regimented cleanings will also reduce incidents of stains and discoloration on the block surface. The frequency in which platforms should be cleaned depends upon how harsh the environment is in your pool facility. Starting platforms can also look new again with our resurfacing for non-slip surfaces and powder coating. Contact us to learn more about this option.

UPGRADES

Many of our starting platforms can be upgraded to add the trackstart wedge and/or side rails to help your athletes start with confidence.



WATER POLO GOALS

GLOBAL ANTI GOAL

The Global Anti Goal by AntiWave is suitable for World Aquatics or equivalent level water polo events, as well as all levels of club competition and training facilities. This water polo goal blends cutting edge materials and production with innovative design, resulting in a lightweight, heavy duty, full-sized goal that meets the needs of all clubs and facilities.



Features:

- Custom marine grade powder-coated aluminum extrusions with HD Marine Nylon & SS316 fittings
- Foldable design for compact and safe poolside storage
- Thick external carry handles for safe transport
- Long-life HD polypropylene cord net, knotted at every intersection ensures long lifetime under hard use
- Easy to install Marine Nylon net clips ensure a solid connection between net and goal, as well as simple installation
- Custom 2-piece aluminum front frame cross section for maximum strength and lightest weight
- Includes lane anchor attachment points at the 750mm and 1080mm distances per pre- and post-2015 World Aquatics regulations
- Lightweight, heavy duty design and construction for years of reliable service
- Safe and easy 2-person pool deck movement
- Marine Nylon pool edge bumpers on rear of frame prevent chipping of pool tiles and gutters when installing and removing from the pool
- Durable oversized HD PE flotation elements rest on the pool concourse, ensuring no damage to pool edge and tiles, or scraping of the goal body during installation or removal
- Open corner net configuration reduces ball rebound
- HD polymer bows allow quick disconnect from top frame to rear of the goal when the goal is folded

WATER POLO GOALS



DAWSON WATER POLO GOAL

Adjustable deck mounted water polo goals meets World Aquatics, NCAA, NFSHSA and USA Water Polo regulations for both deep & shallow settings.

- Easy to install, remove and store with hinged mounting legs which fold flat for storage
- Protective rubber bumpers included
- 304L stainless steel – 316L available upon request
- Accommodates 7", 30" or 36" setback – custom setbacks available
- Cage supplied with UHMW fascia and reinforced black HTPP backdrop

84299 - DAWSON WATER POLO GOAL CAGE AND NET

84298 - REAR LEG SET FOR 7" SETBACK

84297 - REAR LEG SET FOR 30" SETBACK

84294 - REAR LEG SET FOR 36" SETBACK

23638 - 6" BRONZE ANCHOR (2 REQUIRED PER GOAL)




ODYSSEY POLO GOAL

The Odyssey floating goal has been used in pools around the world since its introduction at the 2000 Sydney Olympics.

- Made of durable white powder-coated aluminum or stainless steel
- Three heavy-duty, hand-laid fiberglass flotation panels are located on each side and in back to provide necessary buoyancy
- Net is made of tough polypropylene cord, knotted at every intersection
- Easy assembly by two people in one hour
- Conforms to all national and international specifications
- Dimensions: 152" W x 56" D x 42" H

84230 - ODYSSEY POLO GOAL



FLOATING POLO GOAL


Polo goals are ideal for competitive water polo at the regional or local level.

42613 - UNIVERSAL GOAL

42614 - SPLASHBALL GOAL

57436 - FLIP FLOAT GOAL

SPECTRUM SALES TEAM



Western Region

Inside Sales Representative

Torie Madgwick:

torie.madgwick@spectrumproducts.com

Midwest/Canada/International

Sales/Inside Sales Supervisor

Rachel King:

rachel.king@spectrumproducts.com

Eastern Regional

Inside Sales Representative

Shay Stone:

shay.stone@spectrumproducts.com

National Sales Manager

Jake Godinez:

jake.godinez@spectrumproducts.com

Vice President of Sales, Marketing, and Customer Service

Nabil Khaled:

nabil.khaled@spectrumproducts.com

Note: Product descriptions may vary

ANTIWAVE is a registered trademark of Anti Wave International Pty Ltd., used with its permission

Duraflex is a registered trademark of Duraflex International Corp., used with its permission

Kersplash, Motion Trek, SPECTRA-SHIELD, Spectrum Aquatics, Spectrum, and Xcellerator are registered trademarks of Everlast Climbing Industries Inc., used with its permission

ABOUT OUR PARENT COMPANY

PlayCore is a purpose-driven company that develops leading research and a complete portfolio of innovative products, programs, and services to build healthy communities through play and recreation. Learn more at www.playcore.com.



Building communities through play

THE PLAYCORE AQUATICS GROUP

The PlayCore Aquatics Group is the ultimate resource for creating all of your aquatic experiences. We specialize in providing your facility with unparalleled support throughout your entire journey in selecting the right amenities for your facility including architectural and interactive water features, water play, aquatic competition, compliance, safety, adventure play, and ongoing maintenance. Our team of experts is committed to making your dream a reality and will work with you to find exactly what you need (even if it's a custom solution), at a price point that meets your budget requirements. After the completion of your installation, we provide ongoing support for the lifetime of your product to ensure that you get the most out of your recreational, commercial, municipal, or competitive facility.



fountain people™
A PLAYCORE Company

4600 Hwy 123
San Marcos, TX 78666
512.392.1155
fountainpeople.com



A PLAYCORE Company

7100 Spectrum Lane
Missoula, MT 59808
800.624.1235
spectrumproducts.com



ALTA
ENTERPRISES, INC.
A PLAYCORE Company

7100 Spectrum Lane
Missoula, MT 59808
800.624.1235
altapoolcovers.com



WATER ODYSSEY™
BY FOUNTAIN PEOPLE
A PLAYCORE Company

4600 Hwy 123
San Marcos, TX 78666
512.392.1155
waterodyssey.com



A PLAYCORE Company

10601 Oak St NE
St. Petersburg, FL 33716
888.426.8511
aquaworxusa.com



**COLORADO
TIME SYSTEMS®**
A PLAYCORE Company

1551 East 11th Street
Loveland, CO 80537
800.279.0111
coloradotime.com



7100 SPECTRUM LANE – MISSOULA MT. – 59808

800.791.8056 | INFO@SPECTRUMPRODUCTS.COM | SPECTRUMPRODUCTS.COM